COSIGN SYSTEMS







HIGH QUALITY

CUSTOMISATION

INNOVATION

LARGE STOCK

EXPERIENCE

FLEXIBLE

SERVICE

INTERIOR

MODULAR MODULE PLUS INDOOR 04 FLEXIBLE **STRATO** 80 I-SIGN FIX 12 I-SIGN DISPLAY 14 I-SIGN FLEX LITE 16 LED SIGNS **LIGHT BOX** 18 **FRAMES FABRIC FRAME** 20 **OPTI FRAME** 22 ART FRAME 24

26

28

EXTERIOR

ILLUMINATED EXIT SIGNS

ILLMINATED EXIT SIGNS

N 4	\sim		11	1 A	
M		1	ш	ΙА	NK.

LED THINLITE

MODULAR PLUS OUTDOOR 30

TOTEMS

TOTEM PYLONS 32 MODULAR TOTEMS 34





YOUR GLOBAL PARTNER IN SIGNAGE

Cosign was established in 1993. Over the last 30 years it has become the unsurpassed reference with regard to architectural signage.

No matter what type of signs you need, for indoor or outdoor use, flexible or modular, with or without LED technology, if desired with fabric, advertising pillars or spacers, Cosign is the right address.

Cosign is a global player with production facilities and distribution centres in Belgium (headquarter), India, Mexico and Brazil

Our extensive range of products is unique. We are able to deliver quickly due to our large supply of stock. 30 years of experience, well-organised logistical transactions and perfect service. Cosign is a reliable partner that you can trust.

MODULE PLUS INDOOR



A CLASSIC PRODUCT THAT CONTINUES TO DO THE JOB PERFECTLY!

With the Module Plus Indoor, Cosign developed a modular sign system at the beginning of the 1990s that started a new trend within architectural signage and served as an inspiration for many people working in the same industry.

The Module Plus Indoor consists of a series of flat aluminium profiles in different widths that has a15.5 mm and 31 mm module as the basic profile. The profiles can be "clicked" into place in an easy manner on plastic end caps or clips to create door signs, pictograms, directories, etc. Single-sided signs for wall mounting and double-sided systems for hanging or flag mounting are possible.

The Module Plus Indoor platform does not just offer the sign maker a simple, versatile and flexible standard solution, it also offers space to the creative sign maker to place his or her own emphasis and to develop customised products.











STANDARD SIZES

WALL MOUNTED



product code	(hxw) in mm
MI-031150-W	31 x 150
MI-031200-W	31 x 200 31mm
MI-031250-W	31 x 250
MI-062150-W	62 x 150
MI-062200-W	62 x 200
MI-062250-W	62 x 250
MI-062300-W	62 x 300
MI-093093-W	93 x 93
MI-093250-W	93 x 250
MI-093300-W	93 mm 93 x 300
MI-093400-W	93 x 400
MI-125125-W	125 x 125
MI-125300-W	125 x 300
MI-125400-W	125mm 125 x 400
MI-125500-W	125 x 500
MI-156156-W	156 x 156
MI-156300-W	156 x 300
MI-156400-W	156mm 156 x 400
MI-156500-W	156 x 500
MI-187187-W	187 x 187
MI-187450-W	187 x 450 187mm
MI-187600-W	187 x 600
MI-250250-W	250 x 250 250mm
MI-250450-W	250 x 450 (with alluminium
MI-250600-W	250 x 600 side track)
MI-300210-W	300 x 210 300mm
MI-300600-W	(with alluminium 300 x 600 side track)

PROJECTED product code (hxw) in mm



product code	(nxw) in mm	
MI-093300-P	93 x 300	93mm
MI-125125-P MI-125300-P	125 x 125 125 x 300	125mm
MI-156156-P MI-156300-P	156 x 156 156 x 300	156mm
MI-187187-P MI-187300-P	187 x 187 187 x 300	187mm
MI-250300-P	300 x 300	250mm
MI-300300-P	300 x 300	300mm

TABLE STAND



product code	(hxw)	in i	mm	
MI-031250-TS MI-031300-TS	031 031	x x	125 300	31mm
MI-062250-TS MI-062300-TS	062 062	X X	250 300	62mm
MI-031S250-TS MI-062S300-TS	031 031	X X	250 300	31mm (with slider)
MI-062250S-TS MI-062300S-TS	062 062	x x	250 300	62mm (with slider)

SUSPENDED



product code	(hxw) in	mm	
MI-093300-S	093	X	300	
MI-031200-S	093	X	450	93mm
MI-031250-S	093	X	600	
MI-125300-S	125	X	300	
MI-125450-S	125	X	450	125mm
MI-125600-S	125	X	600	
MI-156450-S	156	X	450	
MI-156600-S	156	X	600	156mm
MI-156750-S	156	X	750	130111111
MI-156900-S	156	X	900	
MI-187450-S	187	Х	450	
MI-187600-S	187	X	600	187mm
MI-187750-S	187	X	750	10/111111
MI-187900-S	187	X	900	
MI-250750-S	250	Х	750	
MI-250900-S	250	X	900	250mm
MI-2501200-S	250	X	1200	
MI-300600-S	300	X	600	
MI-300750-S	300	X	750	300mm
MI-300900-S	300	X	900	ווווווטטכ
MI-3001200-S	300	X	1200	


SUSPENDED MULTI-LEVEL




product code	(hxw) in	mm	
MI-093300-SD	093	Х	300	
MI-093450-SD	093	х	450	93mm
MI-093600-SD	093	X	600	
MI-125300-SD	125	Х	300	
MI-125450-SD	125	х	450	125mm
MI-125600-SD	125	X	600	
MI-156450-SD	156	Х	450	
MI-156600-SD	156	Х	600	156mm
MI-156750-SD	156	Х	750	13011111
MI-156900-SD	156	X	900	
MI-187450-SD	187	Х	450	
MI-187600-SD	187	Х	600	187mm
MI-187750-SD	187	Х	750	10/111111
MI-187900-SD	187	X	900	
MI-250750-SD	250	Х	750	
MI-250900-SD	250	х	900	250mm
MI-2501200-SD	250	X	1200	
MI-300600-SD	300	Х	600	
MI-300750-SD	300	X	750	300mm
MI-300900-SD	300	X	900	JUUIIIII
MI-3001200-SD	300	X	1200	

PROFILES & ACCESSORIES


ALUMINIUM TEXT PROFILES




ALUMINIUM SLDER PROFILES




KEY




SINGLE SIDED ENDCAPS




DOUBLE SIDED ENDCAPS



WALL MOUNTED



PROJECTED



PROFILES & ACCESSORIES

HANGING KIT





TABLE STAND




CLIPS FOR SIDE PROFILES



ALUMINIUM SIDE PROFILE



SUPPORT / DIVIDER PROFILES



ENDCAPS FOR SIDE PROFILES








TABLE STAND



STRATO



STRATO is a flexible and contemporary sign system consisting of series of soft curved profile with a straight edge.

A paper inlay (in the most common DIN formats) can be inserted in the profile behind a non-reflecting cover. Insert in plastic or metal are of course also possible as well as direct printing on the profiles.

The user can choose between plastic and aluminium and caps for the finish. Recently, a few profiles and end caps were added to the range that ensure that 400 mm, 500 mm and 600 mm wide directories can be produced.











STANDARD SIZES

WALL MOUNTED



ST-056074-W 53 x 74 (DIN A8) ST-056105-W 53 x 105 ST-056150-W 53 x 150 56mm ST-056210-W 53 x 210 57 ST-078195-W 74 x 105 (DIN A7) 78mm ST-078150-W 74 x 150 78mm ST-078297-W 74 x 297 78mm ST-078297-W 74 x 297 78mm ST-109105-W 105 x 105 105 ST-109150-W 105 x 105 109mm ST-109210-W 105 x 210 109mm ST-109210-W 105 x 220 109mm ST-150105-W 148 x 150 (DIN A6) 150 (DIN A6) ST-150105-W 148 x 150 (DIN A6) 150 (DIN A6) ST-15010-W 148 x 210 (DIN A6) 150 (DIN A6) ST-150210-W 148 x 220 (DIN A5) 150 (DIN A6) ST-212210-W 210 <	product code	inser	insert (hxw) in mm						
ST-056150-W 53 x 150 56mm ST-056210-W 53 x 210 57-056297-W 53 x 297 ST-078195-W 74 x 105 (DIN A7) 78mm	ST-056074-W	53	X	74 (DIN A8)					
ST-056210-W 53 x 210 ST-056297-W 53 x 297 ST-078195-W 74 x 105 (DIN A7) ST-078150-W 74 x 150 ST-078210-W 74 x 210 78mm ST-078297-W 74 x 297 78mm ST-078420-W 74 x 420 105 x 109mm	ST-056105-W	53	Х	105					
ST-056297-W 53 x 297 ST-078195-W 74 x 105 (DIN A7) ST-078150-W 74 x 150 ST-078210-W 74 x 210 78mm ST-078297-W 74 x 297 78mm ST-078297-W 74 x 420 78mm ST-109105-W 105 x 109mm 109mm <th>ST-056150-W</th> <th>53</th> <th>X</th> <th>150</th> <th>56mm</th>	ST-056150-W	53	X	150	56mm				
ST-078195-W 74 X 105 (DIN A7) ST-078150-W 74 X 150 ST-078210-W 74 X 210 78mm ST-078297-W 74 X 297 78mm ST-078420-W 74 X 420 78mm ST-109105-W 105 X 105 105 105 105 105 105 105 109 109mm 109mm <t< th=""><th>ST-056210-W</th><th>53</th><th>X</th><th>210</th><th></th></t<>	ST-056210-W	53	X	210					
ST-078150-W 74 x 150 78mm ST-078210-W 74 x 210 78mm ST-078297-W 74 x 297 78mm ST-078420-W 74 x 420 78mm ST-109150-W 105 x 105 x 105 x 105 x 105 x 105 x 109mm	ST-056297-W	53	X	297					
ST-078210-W 74 x 210 78mm ST-078297-W 74 x 297 78mm ST-078297-W 74 x 420 74 x ST-078420-W 74 x 420 74 x 420 74 x 105 x 105 x 105 x 105 x 105 x 105 x 109mm	ST-078195-W	74	Х	105 (DIN A7)					
ST-078297-W 74 x 297 ST-078420-W 74 x 420 ST-109105-W 105 x 105 ST-109150-W 105 x 150 (DIN A6) ST-109210-W 105 x 210 109mm ST-109297-W 105 x 297 105 x 297 105 x 297 105 x 420 109mm 10	ST-078150-W	74	X	150					
ST-078420-W 74 x 420 ST-109105-W 105 x 105 ST-109150-W 105 x 150 (DIN A6) ST-109210-W 105 x 210 109mm ST-109297-W 105 x 297 105 x 297 105 x 220 109mm 105 x 240 109mm	ST-078210-W	74	X	210	78mm				
ST-109105-W 105 x 105 y 105 x 105 y 106 y 110 y 106 y 110 y 120 y 110 y 110 106 y 110 106 y	ST-078297-W	74	X	297					
ST-109150-W 105 x 150 (DIN A6) ST-109210-W 105 x 210 109mm ST-109297-W 105 x 297 105 x 297 105 x 420 105 x 420 105 x 420 105 105 x 420 105 105 105 105 105 105 106 106 106 106 106 106 106 106 107 106 106 107 106 107	ST-078420-W	74	X	420					
ST-109210-W 105 x 210 109mm ST-109297-W 105 x 297 105 x 297 105 x 420 105 x 420 105 105 x 420 105 x 105 (DIN A6) 105 105 105 105 105 105 105 105 105 105 106	ST-109105-W	105	х	105					
ST-109297-W 105 x 297 ST-109420-W 105 x 420 ST-150105-W 148 x 105 (DIN A6) ST-150150-W 148 x 150 ST-150210-W 148 x 210 (DIN A5) 150mm ST-150297-W 148 x 297 27 ST-150420-W 148 x 420 210 x 210 x 210 212mm	ST-109150-W	105	X	150 (DIN A6)					
ST-109420-W 105 x 420 ST-150105-W 148 x 105 (DIN A6) ST-150150-W 148 x 150 ST-150210-W 148 x 210 (DIN A5) 150mm ST-150297-W 148 x 297 27	ST-109210-W	105	X	210	109mm				
ST-150105-W 148 x 105 (DIN A6) ST-150150-W 148 x 150 ST-150210-W 148 x 210 (DIN A5) 150mm ST-150297-W 148 x 297 ST-150420-W 148 x 420 ST-212148-W 210 x 110 ST-212210-W 210 x 210 ST-212297-W 210 x 297 ST-212420-W 297 x 420 ST-300210-W 297 x 420 (DIN A4) ST-300420-W 297 x 420 (DIN A3) 300mm ST-400600-W 400 x 600 400mm ST-500500-W 500 x 500 500mm	ST-109297-W	105	X	297					
ST-150150-W 148 x 150 ST-150210-W 148 x 210 (DIN A5) 150mm ST-150297-W 148 x 297 ST-150420-W 148 x 420 ST-212148-W 210 x 148 (DIN A5) ST-212210-W 210 x 210 ST-212297-W 210 x 297 ST-300210-W 297 x 420 ST-300420-W 297 x 420 (DIN A4) ST-300600-W 297 x 600 ST-400600-W 400 x 600 400mm ST-500500-W 500 x 500 500mm	ST-109420-W	105	X	420					
ST-150210-W 148 x 210 (DIN A5) 150mm ST-150297-W 148 x 297 ST-150420-W 148 x 420 ST-212148-W 210 x 148 (DIN A5) ST-212210-W 210 x 210 ST-212297-W 210 x 297 ST-212420-W 210 x 420 ST-300210-W 297 x 210 (DIN A4) ST-300420-W 297 x 420 (DIN A3) 300mm ST-300600-W 297 x 600 400mm ST-500500-W 500 x 500 500mm	ST-150105-W	148	Х	105 (DIN A6)					
ST-150297-W 148 x 297 ST-150420-W 148 x 420 ST-212148-W 210 x 148 (DIN A5) ST-212210-W 210 x 210 ST-212297-W 210 x 297 ST-212420-W 210 x 420 ST-300210-W 297 x 210 (DIN A4) ST-300420-W 297 x 420 (DIN A3) 300mm ST-300600-W 297 x 600 400mm ST-500500-W 500 x 500 500mm	ST-150150-W	148	X	150					
ST-150420-W 148 x 420 ST-212148-W 210 x 148 (DIN A5) ST-212210-W 210 x 210 ST-212297-W 210 x 297 ST-212420-W 210 x 420 ST-300210-W 297 x 210 (DIN A4) ST-300420-W 297 x 420 (DIN A3) 300mm ST-300600-W 297 x 600 400mm ST-500500-W 500 x 500 500mm	ST-150210-W	148	X	210 (DIN A5)	150mm				
ST-212148-W 210 x 148 (DIN A5) 2121210-W 210 x 210 x 210 x 210 x 210 x 297 212mm <	ST-150297-W	148	X	297					
ST-212210-W 210 x 210 210 x 210 x 210 x 297 x 210 x 297 x 220 x 420 x 210 x 420 x x 210 (DIN A4) x<	ST-150420-W	148	X	420					
ST-212297-W 210 x 297 212mm ST-212420-W 210 x 420 420 ST-300210-W 297 x 210 (DIN A4) 57-300420-W 297 x 420 (DIN A3) 300mm ST-300600-W 297 x 600 400mm ST-500500-W 500 x 500 500mm	ST-212148-W	210	Х	148 (DIN A5)					
ST-212297-W 210 x 297 ST-212420-W 210 x 420 ST-300210-W 297 x 210 (DIN A4) ST-300420-W 297 x 420 (DIN A3) 300mm ST-300600-W 297 x 600 400mm ST-500500-W 500 x 500 500mm	ST-212210-W	210	X	210	212mm				
ST-300210-W 297 x 210 (DIN A4) ST-300420-W 297 x 420 (DIN A3) 300mm ST-300600-W 297 x 600 400mm ST-400600-W 400 x 600 400mm ST-500500-W 500 x 500 500mm	ST-212297-W	210	X	297	212111111				
ST-300420-W 297 x 420 (DIN A3) 300mm ST-300600-W 297 x 600 400mm ST-400600-W 400 x 600 400mm ST-500500-W 500 x 500 500mm	ST-212420-W	210	X	420					
ST-300600-W 297 x 600 ST-400600-W 400 x 600 400mm ST-500500-W 500 x 500 500mm	ST-300210-W	297	Х	210 (DIN A4)					
ST-400600-W 400 x 600 400mm ST-500500-W 500 x 500 500mm	ST-300420-W	297	X	420 (DIN A3)	300mm				
ST-500500-W 500 x 500 500mm	ST-300600-W	297	Χ	600					
	ST-400600-W	400	Х	600	400mm				
ST-600900-W 600 x 900 600mm	ST-500500-W	500	Х	500	500mm				
	ST-600900-W	600	Х	900	600mm				

PROJECTED



product code	insert (hxw) in mm				
ST-109148-P	105	Х	148 (DIN A6)	109mm	
ST-109210-P	105	Х	210	109mm	
ST-150150-P	148	Х	150		
ST-150210-P	148	Х	210 (DIN A5)	150mm	
ST-150297-P	148	Х	297		
ST-212210-P	210	Х	210		
ST-212297-P	210	х	297 (DIN A4)	212mm	

TABLE STAND



product code	insert	insert (hxw) in mm					
ST-078105-T	74	Х	105 (DIN A7)	78mm			
ST-078150-T	74	Х	150	7011111			
ST-109075-T	105	Х	74				
ST-109148-T	105	X	148 (DIN A6)	109mm			
ST-109210-T	105	X	210	10311111			
ST-109297-T	105	Х	297				

SUSPENDED



product code	inser	t (hx	w) in mm	
ST-109210-S	105	Χ	210	
ST-109297-S	105	Χ	297	109mm
ST-109420-S	105	X	420	10311111
ST-109600-S	105	X	600	
ST-150297-S	148	Х	297	
ST-150420-S	148	X	420	150mm
ST-150600-S	148	X	600	ISUIIIII
ST-150840-S	148	X	840	
ST-212297-S	210	Х	297	
ST-212420-S	210	Χ	420	212
ST-212600-S	210	Х	600	212mm
ST-212840-S	210	X	840	

SUSPENDED MULTI-LEVEL




_					
	product code	insert	t (hxv	w) in mm	
	ST-109210-SD	105	Х	210	
	ST-109297-SD	105	Χ	297	109mm
	ST-109420-SD	105	Χ	420	10911111
	ST-109600-SD	105	X	600	
	ST-150297-SD	148	Х	297	
	ST-150420-SD	148	Х	420	150
	ST-150600-SD	148	Χ	600	150mm
	ST-150840-SD	148	X	840	
	ST-212297-SD	210	Х	297	
	ST-212420-SD	210	Χ	420	212mm
	ST-212600-SD	210	X	600	212111111
	ST-212840-SD	210	X	840	
	STRATOCON-2	Conne	ector	s	(2pcs)
	STRATOCON-2	Conne	ector	(4pcs)	

Example suspended system 150 x 600mm, 2 levels: ST-150600-S + STRATOCON-2 + ST-150600-SD



PROFILES & ACCESSORIES

ALUMINIUM PROFILES




STRATOBS20


universal edge profile

5m/l

ALUMINIUM ENDCAPS




PLASTIC ENDCAPS



DIRECTORY



WALL MOUNTED




SUSPENDED




ACCESSORIES

TABLE STAND



PROJECTING BRACKET





ANTI-REFLEX PET STRIPS



product code description	
STRATOSTRIPA8 1250 x 52.5 x 0.5m	ım
STRATOSTRIPA7 1250 x 74 x 0.5mm	
STRATOSTRIPA6 1250 x 106 x 0.5mi	n
STRATOSTRIPA5 1250 x 147.5 x 0.5r	nm
STRATOSTRIPA4 1250 x 209.5 x 1mi	n
STRATOSTRIPA3 1250 x 297 x 1mm	


SCREWS



HANGING CLIP product code APC3000S



SUSPENSION CLIP




PROJECTED



TABLE STAND



I-SIGN FIX







STANDARD SIZES

PROFILES & ACCESSORIES

WALL MOUNTED



product code	insert (hxw) in mm			
IF-150150-W	150)	Χ	150
IF-150300-W	150)	Χ	300
IF-150600-W	150)	Χ	600
IF-297210-W	297	7	Χ	210 (DIN A4)
IF-297420-W	297	7	χ	420 (DIN A3)

SUSPENDED



product code	insert (hxw) in mm
IF-150150-S	150 X 150
IF-150300-S	150 X 300
IF-150600-S	150 X 600

PROJECTED



product code	insert (hxw) in mm		
IF-150150-P	150 X 150		
IF-150300-P	150 X 300		
I-FLAG	150 X 161		

ALUMINIUM PROFILES



PROJECTING BRACKET



CORNER SECTION





MOUNTING CLIP





CONNECTOR



product code I-CONNECTOR

HANGING CLIP





SUSPENSION CLIP



product code	description
APC-4003	eco suspension clip

SUCTION CUP



product code VACUUMC2



I-SIGN DISPLAY

Double-sided tape, magnetic tape or the 3M dual Lock' reclosable fastener can be used to








affix the panels.

SINGLE-SIDED

ALUMINIUM PROFILES



product code description

ID-SS2000 ID-SS3000

silver anodised black anodised

5m/l


CORNER CONNECTOR



IDSS CORNER - STAR

DOUBLE-SIDED

ALUMINIUM PROFILES



product code

ID-DS2000 ID-DS3000 ID-DS4000

silver anodised black anodised

bronze anodised

description

5m/l

CORNER CONNECTOR



product code
ID-DSCORN50

ALUMINIUM PROFILES



product code

ID-DS2024 ID-DS3024 ID-DS4024 description silver anodised black anodised bronze anodised

5m/l




product code

ID-SLIMCORNER

DOUBLE-SIDED

ALUMINIUM PROFILES



product code ID-DS2100 ID-DS3100 ID-DS4100 description silver anodised black anodised bronze anodised

5m/l

CORNER CONNECTOR



product code ID-DSCORN100



corner12.5

description single-sided double-sided

ACCESSORIES



product code


le description 12 VDC

SINGLE SIDED & DOUBLE SIDED





I-SIGN FLEX LITE







Lightweight design makes it easy to use.

STANDARD SIZES

PROFILES & ACCESSORIES

WALL MOUNTED



product code	insert	(h	(w) in mm
IFL-052148-W	52	Х	148.5
IFL-060210-W	60	X	210
IFL-105107-W	105	Х	107
IFL-105148-W	105	X	148.5 (DIN A6)
IFL-148150-W	148.5	X	150.5
IFL-210148-W	210	X	148.5 (DIN A5)
IFL-210212-W	210	X	212
IFL-210297-W	210	X	297 (DIN A4)
IFL-297299-W	297	X	299
IFL-420297-W	420	X	297 (DIN A3)
IFL-594420-W	594	Χ	420 (DIN A2)

SUSPENDED



product code	insert (hxw) in mr
IFL-148297-S	148.5 x 297
IFL-148420-S	148.5 x 420
IFL-148600-S	148.5 x 600
IFL-148840-S	148.5 x 840
IFL-210297-S	210 x 297
IFL-210420-S	210 x 420
IFL-210600-S	210 x 600
IFL-210840-S	210 x 840

PROJECTED




product code	insert (hxw) in m			
IFL-150148-P	150.5 x	148.5		
IFL-212210-P	212 x	210		
IFL-210297-P	210 x	297		
IFL-297210-P	297 x	210		

TABLE STAND



product code	insert (hxw) in mr	
IFL-052148-T	52 x 148.5	

ALUMINIUM PROFILES



PROJECTING PROFILE



PROJECTING BRACKET




SUCTION CUP



product code
VACUUMC2



LIGHT BOX







PROFILES & ACCESSORIES

FRONT PROFILE

400

product code

description

LB BASE DS<u>2</u>0 LB BASE DS<u>3</u>0 silver anodised black anodised

6.1m/l



LB BASE SS20 LB BASE SS30

silver anodised black anodised

6.1m/l



LB BASE N20 LB BASE N30 silver anodised black anodised

6.1m/l



LB BASE 1<u>2</u>0 LB BASE 1<u>3</u>0 silver anodised black anodised

6.1m/l



product code

description

LB HINGE

mill finish

6.1m/l

SET CORNER PIECES



CORNER 15.5

for profile LB BASE DS 20 for profile LB BASE SS 20



CORNER 12.5

for profile LB FRAME N20 for profile LB FRAME I20






FABRIC FRAME

and high-quality textile fabrics that can be printed up to 5 m wide seamlessly means that our fabric frames are perfectly suitable for dressing and setting up shops, showrooms, offices and fair stands. Regardless of whether you want a wall frame or a standalone or hanging frame, you

will find the right solution with our single-sided and double-sided fabric profile.







PROFILES & ACCESSORIES

SINGLE-SIDED TEXTILE FRAME PROFILES

product code

description

FABSS<u>2</u>015 FABSS<u>3</u>015 silver anodised black anodised

5m/l



FABSS2050 FABSS3050 FABSS<u>4</u>050


silver anodised 5m/l black anodised 5m/l bronze anodised 5m/l



FABSS<u>2</u>075 FABSS3075 FABSS<u>4</u>075

silver anodised black anodised bronze anodised 5m/l 5m/l 5m/l

DOUBLE-SIDED TEXTILE FRAME PROFILES




product code FABDS<u>2</u>080

description

silver anodised

6.1m/l

DOUBLE-SIDED TEXTILE FRAME PROFILES



product code

description

CORNER CONNECTORS



FABCORNSS15

for profile FABSS2015



FABCORNSS75

for profile FABSS2050 for profile FABSS2075



CORNER15.5

for profile FABDS2080 for profile FABDS2100

SILICON



product code FABSTRIP

13.5x2.8mm

100mtr














OPTI FRAME



Opti-Frame not only delivers multi functional applications with a variety of mounting options, but is specially engineered to offer very competitive rates in snap frame market.







FRAME SIZES



product code

description

frame size

poster size

OPTIFRAME A6

black & wooden on request

Front profiles are Silver anodised 14mm Grey colour backing

Mitred corner

126 x 169mm

105 x 148mm



product code

description

frame size

poster size

OPTIFRAME A5

black & wooden on request

Front profiles are Silver anodised 14mm

Grey colour backing

Mitred corner

169 x 231mm

148 x 210mm



product code

OPTIFRAME A4

black & wooden on request

description

Front profiles are Silver anodised 25mm

Grey colour backing Mitred corner

frame size

poster size

241 x 328mm

210 x 297mm



product code

OPTIFRAME A3

black & wooden on request

description

Front profiles are Silver anodised 25mm

Grey colour backing

Mitred corner

328 x 451mm

frame size

poster size

297 x 420mm



product code

description

frame size

poster size

OPTIFRAME A2

Front profiles are Silver anodised 25mm

Grey colour backing Mitred corner

451 x 625mm

420 x 594mm



product code

description

frame size

poster size

OPTIFRAME A1

Front profiles are Silver anodised 25mm


Grey colour backing

Mitred corner

628 x 875mm

594 x 841mm

ART FRAME



hotels, malls and even homes.





PROFILES & ACCESSORIES

ART FRAME PROFILES

product code

description

15mm

ART.TERRA20 ART.TERRA30 ART.TERRA40 silver anodised black anodised bronze anodised 5m/l 5m/l 5m/l

ART.STELLAR20 ART.STELLAR30 ART.STELLAR40

silver anodised 5m/l black anodised 5m/l bronze anodised 5m/l



ART.LUNAR20 ART.LUNAR30 ART.LUNAR40

silver anodised 5m/l black anodised 5m/l bronze anodised 5m/l

CORNER CONNECTORS



CORNER 10

for profile art.terra



CORNER 12.5

for profile art.stellar for profile art.lunar




ARTSPRING

for profile FABDS2080 for profile FAB2070





LED THINLITE






ALUMINIUM PROFILES

ACCESSORIES

FRONT PROFILE



product code description

LED<u>2</u>025 LED<u>3</u>025 LED<u>4</u>025 silver anodised
black anodised 3.2m/l
bronze anodised

SET CORNER PIECES



product code description

CORNER 12.5

single-sided

BASE PROFILE



product code description

BASICSS2025 silver anodised

BASICSS3025 black anodised

bronze anodised

3.2m/l



BASICDS<u>2</u>025 silver anodised

BASICSS<u>4</u>025

3.2m/l

LEAF SPRING



product code

LEDSPRING

HANGING KIT



product code description


LEDHANG

for double-sided frames





ILLUMINATED EXIT SIGNS



With our new product range we bring a solution with 3 hours battery backup. Three elegant models which can well mounted, ceiling suspended, ceiling recessed or projected.

All models carry out self testing and indicate failure through a led. A button is also provided for physical testing.



ILLUMINATED EXIT SIGNS



product code

COE01

description

battery backup 3 hours. battery life 300 cycles of change and discharge li-ion battery 3.7 V, 100mA charge time 24 hours input voltage 220-240Vac 50/60Hz viewing distance 30m degree of protection IP20 test facility button self test plus auto self test operation in maintained and non-maintained mode



product code

COE02

description

battery backup 3 hours. battery life 300 cycles of change and discharge li-ion battery 3.7 V, 100mA charge time 24 hours input voltage 220-240Vac 50/60Hz viewing distance 30m degree of protection IP20 test facility button self test plus auto self test operation in maintained and non-maintained mode



product code

COB01

description

battery backup 3 hours. battery life 300 cycles of change and discharge li-ion battery 3.7 V, 100mA charge time 24 hours input voltage 220-240Vac 50/60Hz viewing distance 30m degree of protection IP20 test facility button self test plus auto self test operation in maintained and non-maintained mode

GRAPHIC OPTIONS



















MODULE PLUS OUTDOOR



STYLISH MODULAR OUTDOOR SIGNS

With Module Plus Outdoor, Cosign has developed a modular system for outdoor signs that is recommended by architects and designers worldwide and that sign makers like to use because of its versatility and convenience and the option of making unique custom-made signs.

Module Plus Outdoor offers the perfect solution everywhere where a building or location needs to be indicated, a message must be presented or people must be shown the correct place regardless of whether this is for an industrial estate, a company or office building, a hospital, a school, a shopping centre or a car park. Appropriate outdoor signs will also contribute towards strengthening a company's corporate identity.





PROFILES & ACCESSORIES

ALUMINIUM POLES



product code

description

60mm round, 1-slot

A0026001T A0036001T silver anodised black anodised

5m/l 5m/l

A0028081T A0038081T 80mm octagonal, 1-slot

silver anodised black anodised 5m/l 5m/l

ENDCAPS



product code

description

A0T26001T

round

60mm

Ø



A0T28081T

octagonal

80mm

FINISHING PROFILES



product code

description coverlist

AOCO<u>2</u>00 AOCO<u>3</u>00 silver anodised black anodised

DOUBLE SIDED TEXTPANELS

product code

description

A002046 A003046 46mm Box Panel silver anodised

black anodised

5m/l 5m/l

FIX BOX




product code

description

FIXB0X001

without screw







TOTEM PYLON

or our totem pylon 137 mm and the more recent H-profile for larger totems (up to 6




meters).

ALUMINIUM PROFILES

ELLIPSE 50mm





6m/l



ELLIPSE 80mm






6m/l




ELLIPSE 137mm






6m/l



H-PROFILE





6m/l



ALUMINIUM or steel profile 60 x 60 x 4mm

MODULAR TOTEM




The system allows you to determine the depth (10, 15 or 20 cm), material (aluminium or steel), size and wall thickness of the interior structure of the totem. This makes it possible to construct strong totems of up to 6 meters high.

The profiles and panels are attached with hidden screws. The totems are easy to maintain and update because the panels can be lifted out and inserted effortlessly.



ALUMINIUM PROFILES


BASE PROFILE



CORNER PROFILE




CONNECTOR PROFILE



ROUNDED COVER PROFILE



ELLIPTICAL COVER PROFILE











ARCHITECTURAL SIGNAGE | DISPLAY SOLUTIONS

Cosign is a designer, manufacturer and distributor of architectural signage & way finding solutions, poster frames & displays, led modules and sign making tools. Based in Belgium with regional offices in India Mexico and Brazil through our global partner network, our sign solutions are available in more than 100 countries.



COSIGN nv Industriepark 32 B B-3290 Diest Belgium COSIGN India Pvt. Ltd. 2088 Vijayanagar Colony

Sadashiv Peth,

Pune - 411030. (Mh.) India.

T. +91 20 24324385 M. +91 8600333999 info@cosign.in Ahmedabad : 9712342828 Bengaluru : 8884404606

Chennai : 9894380552 Delhi : 9873903219 Hyderabad : 9209215587 Kolkata : 7397962333

Mumbai : 9920190386 Pune : 9595115523 /cosignindia





YOUR CONVERTER :